Supplementary Information

Studies directed towards synthesis of leprostatic agent desoxyfructoserotonin

Sreenivasulu Reddy Gopireddy[a], Kothapalli Bannoth Chandrasekhar[a] & Prathapagiri L N Ranganath*[b]

[a] Department of Chemistry, Jawaharlal Nehru Technological University, Anantapur 515 002, Andhra Pradesh, India

[b] Department of Pharmaceutical Chemistry, St. Johns College of Pharmaceutical Sciences, Yerrakota, Kurnool 518 002, Andhra Pradesh, India

E-mail: prathapagiri.pln@gmail.com

Received 26 April 2024; accepted (revised) 22 October 2024





^{1}H NMR of compound 3 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 3 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 4 in $CDCl_3$ (400 MHz)



^{1}H NMR of compound 4 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 5 in $CDCl_3$ + DMSO-d_6 (400 MHz)



^{13}C NMR of compound 5 in $CDCl_3$ + DMSO-d_6 (100 MHz)



[1]H NMR of compound 6 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 6 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 7 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 7 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 8 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 8 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 9 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 9 in $CDCl_3$ (100 MHz)



^{1}H NMR of compound 2 in $CDCl_3$ (400 MHz)



^{13}C NMR of compound 2 in $CDCl_3$ (100 MHz)