

Supplementary Information

Multifunctional metal–dithiolate architectures: Bridging coordination chemistry, molecular memory, and anticancer potential through mixed-ligand transition metal(II) complexes

Arijit Das*^a, Syed Arshad Hussain*^b, Rahul Deb^b, Debasish Maiti*^c, Snehashish Modak^c, Debajyoti Nath^d,
Abhijit Bhattacharya^a, Kartick Lal Bhowmik^a & Paresh Debnath*^{a,d}

^aDepartment of Chemistry, BBM College, Agartala 799 004, West Tripura, India

^bThin film and Nanoscience Laboratory, Tripura University, Suryamaninagar 799 022, Tripura, India

^cDepartment of Human Physiology, Tripura University, Suryamaninagar 799 022, Tripura, India

^dDepartment of Education, NIT Agartala, Jirania 799 046, West Tripura, India

E-mail: arijitdas78chem@gmail.com, sahussain@tripurauniv.ac.in, debasish.maiti@tripurauniv.ac.in,
pareshchem1990@gmail.com

Received 31 December 2025; accepted (revised) 15 June 2026




Figure S1. IR spectrum of [Ni(4,4-Bipy)₂(CED)] (1)




Figure S2. IR spectrum of [Co(4,4-Bipy)₂(CED)] (2)




Figure S3. IR spectrum of [Zn(4,4-Bipy)₂(CED)] (3)




Figure S4. IR spectrum of [Cd(4,4-Bipy)₂(CED)] (4)